



VS TAL Gate Pro



Installation dimensions

Heights:

DUSA 1	650 mm - 950 mm	(2 + 2 baskets)
DUSA 2	950 mm - 1200 mm	(3 + 3 baskets)
DUSA 3	1200 mm - 1450 mm	(4 + 4 baskets)
DUSA 4	1450 mm - 1700 mm	(4 + 4 baskets)
DUSA 5	1700 mm - 1950 mm	(5 + 5 baskets)
DUSA 6	1900 mm - 2150 mm	(5 + 5 baskets)


Cabinet basket dimensions

Cabinet	Basket width	Basket depth	Basket height
450	350	305	75
500	400	305	75
600	500	305	75


Door basket dimensions

Cabinet	Basket width	Basket depth	Basket height
450/500	365	110	75
600	465	110	75

Basket variants:



Cabinet dimensions




Finish

Fitting: RAL9006 silver, clear finish

Baskets: chrome or
RAL9006 silver, clear finish

Load: Door 20 kg
Slide 80 kg





Damping





04 / 2017








VS TAL Gate Pro








1





2



3




4





5


5.1






5.2



5.3









6





C



7





8





9






D



10






12




E







13



E



14



6

C


9

D

12

13

E



	D	C
DUSA 1	473	190
DUSA 2	793	510
DUSA 3	1049	702
DUSA 4	1193	702
DUSA 5	1593	1086
DUSA 6	1593	1086

	E
K 450	93
K 500	80
K 600	130

